

MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL IDENTIFICATION AND INFORMATION

Manufacturer's Name: Ultra-Look Corporation, Inc.
3903 Progress Drive
Lakeland, FL 33811
Telephone Number: (888) 454-2038

Effective Date: January 1, 2003

Trade Name: Bubblicious Vehicle Wash
Formula: PROPRIETARY

DOT CLASSIFICATION: NONE NEEDED

FOR CHEMICAL EMERGENCY

CALL INFOTRAC

1-800-535-5053

24Hrs. per day, 7 days per week

SECTION II - HAZARDOUS INGREDIENTS

NAMES OF HAZARDOUS INGREDIENTS: See CFR29*1910.1200 (i)-(13)

CHEMICAL/COMMON NAME CAS# PERCENTAGE PEL-OSHA TLV-ACGIH

Sodium Hydroxide	1310-73-2	<1	2mg/mg3	2mg/m3
------------------	-----------	----	---------	--------

THIS PRODUCT DOES NOT CONTAIN CARCINOGENS: (NTP, IARC, OSHA):

SECTION III - PHYSICAL DATA

PRODUCTS DESCRIPTION: Pink color viscous liquid peculiar odor.

SOLUBILITY IN WATER: Soluble in water.

BOILING POINT: >212 F

FLASH POINT: (Method Used) NONE

SPECIFIC GRAVITY: 1 (Water = 1)

VAPOR PRESSURE (mmHg): <20 (mmHg)

VAPOR DENSITY (AIR=1): 0.6 (Air = 1)

SPECIFIC GRAVITY (WATER=1): 1

PERCENT VOLATILE BY VOLUME (%): 70%

EVAPORATION RATE (WATER=1): 1 (Water = 1)

SECTION IV - FIRE & EXPLOSION HAZARD DATA

FLAMMABLE LIMITS: LEI-N/D UEL-N/D

EXTINGUISHING MEDIA: NOT CONSIDERED A FIRE HAZARD IN MIXED FORMULATION

THIS PRODUCT IS STABLE

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: CONTACT WITH ACIDS AND STRONG OXIDIZERS SUCH AS

CHLORINE, PERMANGANATE, ETC.

MATERIAL TO AVOID: ACIDS AND STRONG OXIDIZERS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS: AFTER WATER EVAPORATES, BURNING MAY PRODUCE OXIDES OF CARBON, TRACES OF SULFUR AND NITROGEN OXIDES AND

VARIOUS HYDROCARBONS.

SECTION VI - HEALTH HAZARD DATA

POSSIBLE ROUTES OF ENTRY:

INHALATION - SKIN -

ACUTE HEALTH HAZARD:

(A) EYES-CAN CAUSE SEVERE IRRITATION, REDNESS,

TEARING, BLURRED VISION.

(B) SKIN-PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION, DEFATTING, DERMATITIS.

(C) INHALATION-MILD IRRITATION

(D) INGESTION-CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

CHRONIC HEALTH HAZARD:

(A) NONE .

EMERGENCY FIRST AID PROCEDURES:

1. Skin - Wash with running water.
2. Eyes - Flush immediately with large quantities of running water lifting upper and lower lids occasionally.
3. Inhalation - If affected, remove individual to fresh air. If breathing is difficulty, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
4. Ingestion - Immediately drink 2 glasses of water and induce vomiting by either giving IPECAC syrup or by placing fingers at the back of throat. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SECTION VII - SYMPTOMS OF EXPOSURE

EYES: SEVERE IRRITATION

SKIN: POSSIBLE MODERATE IRRITATION

INGESTION: GASTRIC DISTRESS - NAUSEA - VOMITING - DIARRHEA

INHALATION: MILD IRRITATION

CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

SECTION VIII - FIRST AID

SKIN: IF IRRITATION OCCURS, CEASE USING TEMPORARILY.

EYES: FLUSH EYE WITH WATER FOR 15 MINUTES.

INHALATION: IF IRRITATION OCCURS, SEEK MEDICAL ATTENTION.

INGESTION: DRINK A LARGE AMOUNT OF WATER OR MILK, INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

SECTION IX - SPILL, LEAK AND DISPOSAL INFORMATION

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OF SPILLED:

Absorb the large spill on suitable absorbent. Wash the residue down the drain or pit with plenty of water. Small spills can be flushed down the drain with plenty of water. EXTREMELY SLIPPERY.

WASTE DISPOSAL METHODS:

Dispose of according to local, state and federal regulation for biodegradable soaps and detergents.

SECTION X - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NOT NEEDED.

VENTILATION: N/A

PROTECTIVE EQUIPMENT REQUIRED: NOT NEEDED.

SPECIAL: N/A

MECHANICAL (GENERAL): N/A

OTHER PROTECTIVE EQUIPMENT: EYE WASH AND QUICK DRENCH FACILITIES.

OTHER ENGINEERING CONTROLS: N/A

WORK PRACTICES: EYE WASH FOUNTAIN AND SAFETY SHOWER SHOULD BE EASILY ACCESSIBLE. DISCARD PROPERLY SUCH ITEMS AS RAGS AND TRASH SOAKED WITH THE PRODUCT. PROVIDER ADEQUATE VENTILATION.

HYGIENIC PRACTICES: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID INHALATION OF PRODUCT VAPORS. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. REMOVE CONTAMINATED CLOTHING PROMPTLY AND WASH THOROUGHLY BEFORE REUSED.

SECTION XI - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

- (1) Do not store under freezing conditions or above 120 degrees F.
- (2) Protect form physical damage and keep tightly closed.
- (3) Do not store near acids or acidic materials and oxidizers.

MAINTENANCE PRECAUTIONS:

When working with FLAMMABLE materials electrically ground all equipment and use only non-sparking tools.

SECTION XII - SHIPPING INFORMATION

UN/NA #S, SECONDARY CONTAINER LABEL INFO NECESSARY OR SUGGESTED.

LESS THAN 1% CAUSTIC ALKALINE UN/NA NUMBER NOT NECESSARY ON LABELS